

LUNA



LUNA

| Matt | Lappato |

4 COLOURS



NATURAL



GRIGIO



MUD




SMOKE


4 SIZES



120×60cm
48"× 24"



60×60cm
24"× 24"



60×30cm
24"× 12"



30×30cm
12"× 12"

10mm
120×60cm 48"× 24"

9mm
60×60cm 24"× 24"
60×30cm 24"× 12"
30×30cm 12"× 12"

ATOLL redefine spatial aesthetics by seamlessly blending form and function. Designed to elevate both residential and commercial interiors, our collection adapts effortlessly to diverse environments—from minimalist urban lofts to rustic retreats.

Modular sizes and curated layouts empower architects and designers to craft fluid, open-plan spaces or intimate, textured zones, while slip-resistant finishes ensure practicality for outdoor terraces and high-traffic areas.

Inspired by raw natural beauty and contemporary trends, ATOLL tiles embody understated sophistication.

Earth-toned palettes mimic weathered stone, driftwood, and desert sands, while geometric patterns and polished metallic accents cater to avant-garde projects.

Each tile’s tactile surface and precision-cut edges create visual harmony, transforming floors, walls, and countertops into cohesive design statements.



NATURAL



*Time folds into stone veins
each tile a frozen dialogue between
earth and eternity.*





• Wall .
ATOLL - BIANCO
MATT
60X60cm - 24" x 24"

• Floor / Wall .
LUNA - NATURAL
MATT
120X60cm - 48" x 24"

GRIGIO



*Tread on petrified symphonies
where geology composes, humanity curates*





- Floor / Wall .
LUNA - GRIGIO
MATT
120X60cm - 48"× 24"

MUD



*A cartographer's dream
mapping the memory of ancient
quarries into modern sanctuaries*





- Floor .
LUNA - MUD
MATT
120X60cm - 48" x 24"



SMOKE



*Matte whispers
the quiet luxury of velvet-draped
moonlight underfoot*





- Wall .
LUNA - SMOKE
MATT
120X60cm - 48"× 24"

LUNA

NATURAL

PRODUCT INFORMATION

▼

10MM

▲

120×60cm / 48"× 24"

4 faces

▼

9MM

▲

60×60cm/24"× 24"

8 faces

60×30cm/24"× 12"

16 faces

30×30cm/12"× 12"

32 faces

- ✔

Matt
- ✔

Lappato



LUNA

GRIGIO

PRODUCT INFORMATION

▼

10MM

▲

120×60cm / 48"× 24"

4 faces

▼

9MM

▲

60×60cm/24"× 24"

8 faces

60×30cm/24"× 12"

16 faces

30×30cm/12"× 12"

32 faces

- ✔

Matt
- ✔

Lappato



LUNA

MUD

PRODUCT INFORMATION

▼

10MM

▲

120×60cm / 48"× 24"

4 faces

▼

9MM

▲

60×60cm/24"× 24"

8 faces

60×30cm/24"× 12"

16 faces

30×30cm/12"× 12"

32 faces

- ✓

Matt

✓

Lappato



LUNA

SMOKE

PRODUCT INFORMATION

▼

10MM

▲

120×60cm / 48"× 24"

4 faces

▼

9MM

▲

60×60cm/24"× 24"

8 faces

60×30cm/24"× 12"

16 faces

30×30cm/12"× 12"


32 faces

- ✓

Matt

✓

Lappato




TECHNICAL SPECIFICATIONS


TECHNICAL CHARACTERISTIC	STANDARD TEST METHOD	ISO STANDARD REQUIREMENT	OUR VALUES
Length & Width	ISO 10545-2	±0.6%MAX	±0.30%Max
Thickness	ISO 10545-2	±5.0%MAX	±5.0%Max
Sides Straightness	ISO 10545-2	±5%MAX	±0.25%Max
Rectangularity	ISO 10545-2	±0.5%MAX	±0.25%Max
Flatness : a) Centre Curvature	ISO 10545-2	±0.5%MAX	±0.20%Max/Max2.0mm
b) Edge Curvature	ISO 10545-2	±0.5%MAX	±0.20%Max/Max2.0mm
c) Warpage	ISO 10545-2	±0.5%MAX	±0.20%Max/Max2.0mm
Surface Quality	ISO 10545-2	≥95%FREE <small>From visible defect</small>	Comply
Water Absorption	ISO 10545-3	≤0.5%	≤0.20%
Breaking Strength	ISO 10545-4	≥1300N	≥1300N
Modulus Of Rupture	ISO 10545-4	≥35N/mm ² <small>Individual ≥32N/mm²</small>	≥35N/mm ² <small>Individual ≥32N/mm²</small>
Abrasion Resistance			
a) Deep Abrasion For Unglazed Tiles	ISO 10545-6	≤175mm ³	≤160mm ³
b) Surfaces Abrasion For Glazed Tiles	ISO 10545-7	<small>Manuf.to state abrasion class, cycle and passed</small>	≥PEI 3 <small>(Dependent On Product Type)</small>
Crazing Test (glazed Tiles)	ISO 10545-11	No Sign Of Crazing	No Sign Of Crazing
Frost Resistance	ISO 10545-12	Required	No Visible Crack
Chemical Resistance			
a) low concentrations	ISO 10545-13	Manuf. to state	Class A
b) household chemicals and Swimming pool salts	ISO 10545-13	≥class B	Class B(For Polished Tiles) Class A Class B(For Polished Tiles)
Stain Resistance			
a) for unglazed tiles	ISO 10545-14	Manuf. to state	≥Class 3
b) for glazed tiles	ISO 10545-14	≥class 3	≥Class 3
Slip Resistance (Excluding Polished,Lappato And Satin Finishing)	AS/NZS 4586 App.A	Manuf. to state	Wet Pendulum≥P4 <small>(Dependent On Product Type)</small>

PACKING SPECIFICATIONS


SERIES	SIZES	PCS/CTN	m ² /CTN	KG/CTN	m ² /PLT	KG/PLT	CTN/PLT
LUNA	60x120/24”x48”	2	1.44	32	80.64	1792	56
	60x60/24”x24”	4	1.44	30	57.60	1200	40
	30x60/12”x24”	8	1.44	30	57.60	1200	40
	30x30/12”x12”	11	0.99	21	55.44	1176	56




UNIFORM
VARIATION
V1



SLIGHT
VARIATION
V2



MODERATE
VARIATION
V3



SUBSTANTIAL
VARIATION
V4



Foshan Casagres International Co, Ltd.
info@casagresintl.com
www.casagresintl.com