

# VOGUE STONE





# VOGUE STONE

The Epitome of Elegance and Style In the world of interior design, Vogue Stone tiles stand out as a remarkable choice, seamlessly blending exceptional quality with captivating aesthetics.

These tiles are not just building materials; they are a statement of refined taste and a celebration of timeless beauty.

Running your fingers over the surface, you can sense the fine details and nuances that give these tiles their unique character. The carefully engineered texture provides a sense of depth and dimension, making the tiles appear as if they have been hewn from the earth itself.

In conclusion, Vogue Stone offer a unique combination of exquisite texture, stunning textures, authentic Italian style, and fashion-forward design. Whether you are renovating your home, designing a new commercial space, or simply looking to add a touch of elegance to a particular area, these tiles are sure to exceed your expectations.





# VOGUE STONE

| Matt | Lappato |

## 8 COLOURS



NATURAL



PURE




SAND



PERLA



TAUPE



GRIGIO



MOKA



NERO





- Wall / Floor .  
VOGUE STONE - NATURAL  
MATT  
60X120cm  
48" x 24"



- Floor .  
VOGUE STONE - SAND  
MATT  
60X120cm - 48"× 24"

- Wall .  
TERRAZZO - NOUGAT  
MATT  
60X60cm - 24"× 24"





- Wall / Floor .  
VOGUE STONE - TAUPE  
MATT  
60X120cm - 48"× 24"



- Wall / Floor .  
MARAMO - ODEON BEIGE  
SLIOTECH  
120X60cm - 48"× 24"

- Floor .  
VOGUE STONE - MOKA  
MATT  
60X120cm - 48"× 24"







• Floor .  
VOGUE STONE - PURE  
MATT  
60X120cm - 48" x 24"





• Floor .  
VOGUE STONE - PERLA  
MATT  
60X120cm - 48" x 24"



• Wall .  
VOGUE STONE - NATURAL  
MATT  
60X120cm - 48" x 24"



• Floor .  
VOGUE STONE - GRIGIO  
MATT  
60X120cm - 48" x 24"



• Floor .  
VOGUE STONE - NERO  
MATT  
60X120cm - 48" x 24"



VOGUE STONE

NATURAL

PRODUCT INFORMATION

▼  
10MM  
▲



120×60cm / 48"× 24"  
8 faces

▼  
9MM  
▲



60×60cm/24"× 24"  
16 faces



60×30cm/24"× 12"  
32 faces





30×30cm/12"× 12"  
64 faces



V2

✔ Matt

✔ Lappato





VOGUE STONE

SAND


PRODUCT INFORMATION

▼  
10MM  
▲



120×60cm / 48"× 24"  
8 faces

▼  
9MM  
▲



60×60cm/24"× 24"  
16 faces



60×30cm/24"× 12"  
32 faces



30×30cm/12"× 12"  
64 faces



V2

✔ Matt

✔ Lappato



VOGUE STONE

TAUPE


PRODUCT INFORMATION

▼  
10MM  
▲



120×60cm / 48"× 24"  
8 faces

▼  
9MM  
▲



60×60cm/24"× 24"  
16 faces



60×30cm/24"× 12"  
32 faces



30×30cm/12"× 12"  
64 faces



- ☒ Matt
- ☒ Lappato





VOGUE STONE

MOKA

PRODUCT INFORMATION

▼  
10MM  
▲



120×60cm / 48"× 24"  
8 faces

▼  
9MM  
▲



60×60cm/24"× 24"  
16 faces



60×30cm/24"× 12"  
32 faces



30×30cm/12"× 12"  
64 faces



- ☒ Matt
- ☒ Lappato



VOGUE STONE

PURE


PRODUCT INFORMATION

▼  
10MM  
▲



120×60cm / 48"× 24"  
8 faces

▼  
9MM  
▲



60×60cm/24"× 24"  
16 faces



60×30cm/24"× 12"  
32 faces



30×30cm/12"× 12"  
64 faces



V2

✔ Matt

✔ Lappato





VOGUE STONE

PERLA


PRODUCT INFORMATION

▼  
10MM  
▲



120×60cm / 48"× 24"  
8 faces

▼  
9MM  
▲



60×60cm/24"× 24"  
16 faces



60×30cm/24"× 12"  
32 faces



30×30cm/12"× 12"  
64 faces



V2

✓ Matt

✓ Lappato



VOGUE STONE

GRIGIO


PRODUCT INFORMATION

▼  
10MM  
▲



120×60cm / 48"× 24"  
8 faces

▼  
9MM  
▲



60×60cm/24"× 24"  
16 faces



60×30cm/24"× 12"  
32 faces




30×30cm/12"× 12"  
64 faces



V2

✔ Matt

✔ Lappato





VOGUE STONE

NERO

PRODUCT INFORMATION

▼  
10MM  
▲



120×60cm / 48"× 24"  
8 faces

▼  
9MM  
▲



60×60cm/24"× 24"  
16 faces



60×30cm/24"× 12"  
32 faces



30×30cm/12"× 12"  
64 faces



- ☒ Matt
- ☒ Lappato




# TECHNICAL SPECIFICATIONS


TECHNICAL CHARACTERISTIC	STANDARD TEST METHOD	ISO STANDARD REQUIREMENT	OUR VALUES
Length & Width	ISO 10545-2	±0.6%MAX	±0.30%Max
Thickness	ISO 10545-2	±5.0%MAX	±5.0%Max
Sides Straightness	ISO 10545-2	±5%MAX	±0.25%Max
Rectangularity	ISO 10545-2	±0.5%MAX	±0.25%Max
Flatness : a) Centre Curvature	ISO 10545-2	±0.5%MAX	±0.20%Max/Max2.0mm
b) Edge Curvature	ISO 10545-2	±0.5%MAX	±0.20%Max/Max2.0mm
c) Warpage	ISO 10545-2	±0.5%MAX	±0.20%Max/Max2.0mm
Surface Quality	ISO 10545-2	≥95%FREE <small>From visible defect</small>	Comply
Water Absorption	ISO 10545-3	≤0.5%	≤0.20%
Breaking Strength	ISO 10545-4	≥1300N	≥1300N
Modulus Of Rupture	ISO 10545-4	≥35N/mm <sup>2</sup> <small>Individual ≥32N/mm<sup>2</sup></small>	≥35N/mm <sup>2</sup> <small>Individual ≥32N/mm<sup>2</sup></small>
Abrasion Resistance			
a) Deep Abrasion For Unglazed Tiles	ISO 10545-6	≤175mm <sup>3</sup>	≤160mm <sup>3</sup>
b) Surfaces Abrasion For Glazed Tiles	ISO 10545-7	<small>Manuf.to state abrasion class, cycle and passed</small>	≥PEI 3 <small>(Dependent On Product Type)</small>
Crazing Test (glazed Tiles)	ISO 10545-11	No Sign Of Crazing	No Sign Of Crazing
Frost Resistance	ISO 10545-12	Required	No Visible Crack
Chemical Resistance			
a) low concentrations	ISO 10545-13	Manuf. to state	Class A
b) household chemicals and Swimming pool salts	ISO 10545-13	≥class B	Class B(For Polished Tiles) Class A Class B(For Polished Tiles)
Stain Resistance			
a) for unglazed tiles	ISO 10545-14	Manuf. to state	≥Class 3
b) for glazed tiles	ISO 10545-14	≥class 3	≥Class 3
Slip Resistance (Excluding Polished,Lappato And Satin Finishing)	AS/NZS 4586 App.A	Manuf. to state	Wet Pendulum≥P4 <small>(Dependent On Product Type)</small>

# PACKING SPECIFICATIONS


SERIES	SIZES	PCS/CTN	m <sup>2</sup> /CTN	KG/CTN	m <sup>2</sup> /PLT	KG/PLT	CTN/PLT
VOGUE STONE	60x120/24”x48”	2	1.44	32	80.64	1792	56
	60x60/24”x24”	4	1.44	30	57.60	1200	40
	30x60/12”x24”	8	1.44	30	57.60	1200	40
	30x30/12”x12”	11	0.99	21	55.44	1176	56




UNIFORM  
VARIATION  
**V1**



SLIGHT  
VARIATION  
**V2**



MODERATE  
VARIATION  
**V3**



SUBSTANTIAL  
VARIATION  
**V4**



Foshan Casagres International Co, Ltd.  
info@casagresintl.com  
www.casagresintl.com