


VOGUE WOOD





VOGUE WOOD

Crafted with meticulous attention to detail, VOGUE WOOD offer a plethora of benefits that make them an ideal choice for any space.

Whether you prefer a traditional straight lay pattern for a classic look or a more intricate herringbone or chevron design to add a touch of elegance, our tiles can be installed in various configurations to suit your aesthetic preferences. Additionally, they can be used for both floor and wall applications, allowing you to create a cohesive and stylish look throughout your home or commercial space.

VOGUE WOOD are designed to mimic the natural texture and appearance of real wood, down to the finest details. Using advanced printing technology, we have replicated the unique grain patterns, knots, and color variations found in different wood species, creating a realistic and visually stunning surface.

Thanks to their versatility, VOGUE WOOD can be used in a wide range of settings, from residential homes to commercial establishments. They are perfect for living rooms, bedrooms, kitchens, bathrooms, hallways, and even outdoor areas such as patios and decks.



VOGUE WOOD

| Matt | Lappato |

8 colours







DETAILS

INSTALLATION PATTERNS


CONTINUITY




1/2 MISALIGNMENT




1/3 MISALIGNMENT




1/4 MISALIGNMENT



TILT STAGGERED 1



TILT STAGGERED 2




2 SIZES



120×20cm
48"× 24"



120×60cm
48"× 24"



NATURAL



• Floor .
VOGUE WOOD - NATURAL
MATT
20X120cm - 48" x 24"




SAND



- Floor .
VOGUE WOOD - SAND
MATT
20X120cm - 48"× 24"



TAUPE




• Floor .
VOGUE WOOD - TAUPE
MATT
20X120cm - 48" x 24"



MOKA



• Floor .
VOGUE WOOD - MOKA
MATT
20X120cm - 48" x 24"



- Floor .
VOGUE WOOD - MOKA
MATT
20X120cm - 48" x 24"



PURE



- Floor .
VOGUE WOOD - PURE
MATT
20X120cm - 48" x 24"





PERLA



• Floor .
VOGUE WOOD - PERLA
MATT
20X120cm - 48" x 24"





GRIGIO



- Floor .
VOGUE WOOD - GRIGIO
MATT
20X120cm - 48" x 24"



NERO




• Floor .
VOGUE WOOD - NERO
MATT
20X120cm - 48" x 24"

VOGUE STONE

NATURAL



120×60cm / 48"× 24"
4 faces



120×20cm / 48"× 8"
12 faces



V2


✓ Matt

✓ Lappato




VOGUE STONE

SAND



120×60cm / 48"× 24"
4 faces



120×20cm / 48"× 8"
12 faces



V2

✓ Matt

✓ Lappato




VOGUE STONE

TAUPE



120×60cm / 48"× 24"
4 faces



120×20cm / 48"× 8"
12 faces



V2


✓ Matt

✓ Lappato




VOGUE STONE

MOKA



120×60cm / 48"× 24"
4 faces



120×20cm / 48"× 8"
12 faces



V2

✓ Matt

✓ Lappato




VOGUE STONE

PURE



120×60cm / 48"× 24"
4 faces



120×20cm / 48"× 8"
12 faces



V2

✓ Matt


✓ Lappato

VOGUE STONE

PERLA



120×60cm / 48"× 24"
4 faces



120×20cm / 48"× 8"
12 faces



V2

✓ Matt


✓ Lappato

VOGUE STONE

GRIGIO



120×60cm / 48"× 24"
4 faces



120×20cm / 48"× 8"
12 faces

▼
10MM
▲

▼
9MM
▲



V2



Matt




Lappato

VOGUE STONE

NERO



120×60cm / 48"× 24"
4 faces



120×20cm / 48"× 8"
12 faces

▼
10MM
▲

▼
9MM
▲



V2



Matt




Lappato

TECHNICAL SPECIFICATIONS


TECHNICAL CHARACTERISTIC	STANDARD TEST METHOD	ISO STANDARD REQUIREMENT	OUR VALUES
Length & Width	ISO 10545-2	±0.6%MAX	±0.30%Max
Thickness	ISO 10545-2	±5.0%MAX	±5.0%Max
Sides Straightness	ISO 10545-2	±5%MAX	±0.25%Max
Rectangularity	ISO 10545-2	±0.5%MAX	±0.25%Max
Flatness : a) Centre Curvature	ISO 10545-2	±0.5%MAX	±0.20%Max/Max2.0mm
b) Edge Curvature	ISO 10545-2	±0.5%MAX	±0.20%Max/Max2.0mm
c) Warpage	ISO 10545-2	±0.5%MAX	±0.20%Max/Max2.0mm
Surface Quality	ISO 10545-2	≥95%FREE <small>From visible defect</small>	Comply
Water Absorption	ISO 10545-3	≤0.5%	≤0.20%
Breaking Strength	ISO 10545-4	≥1300N	≥1300N
Modulus Of Rupture	ISO 10545-4	≥35N/mm ² <small>Individual ≥32N/mm²</small>	≥35N/mm ² <small>Individual ≥32N/mm²</small>
Abrasion Resistance			
a) Deep Abrasion For Unglazed Tiles	ISO 10545-6	≤175mm ³	≤160mm ³
b) Surfaces Abrasion For Glazed Tiles	ISO 10545-7	<small>Manuf.to state abrasion class, cycle and passed</small>	≥PEI 3 <small>(Dependent On Product Type)</small>
Crazing Test (glazed Tiles)	ISO 10545-11	No Sign Of Crazing	No Sign Of Crazing
Frost Resistance	ISO 10545-12	Required	No Visible Crack
Chemical Resistance			
a) low concentrations	ISO 10545-13	Manuf. to state	Class A
b) household chemicals and Swimming pool salts	ISO 10545-13	≥class B	Class B(For Polished Tiles) Class A Class B(For Polished Tiles)
Stain Resistance			
a) for unglazed tiles	ISO 10545-14	Manuf. to state	≥Class 3
b) for glazed tiles	ISO 10545-14	≥class 3	≥Class 3
Slip Resistance (Excluding Polished,Lappato And Satin Finishing)	AS/NZS 4586 App.A	Manuf. to state	Wet Pendulum≥P4 <small>(Dependent On Product Type)</small>

PACKING SPECIFICATIONS


SERIES	SIZES	PCS/CTN	m ² /CTN	KG/CTN	m ² /PLT	KG/PLT	CTN/PLT
VOGUE WOOD	60x120/24”x48”	2	1.44	32	80.64	1792	56
	60x60/24”x24”	4	1.44	30	57.60	1200	40
	30x60/12”x24”	8	1.44	30	57.60	1200	40
	30x30/12”x12”	11	0.99	21	55.44	1176	56




UNIFORM
VARIATION
V1



SLIGHT
VARIATION
V2



MODERATE
VARIATION
V3



SUBSTANTIAL
VARIATION
V4



Foshan Casagres International Co, Ltd.
info@casagresintl.com
www.casagresintl.com