

BALI





BALI

Where Nature Meets Elegance

Drawing inspiration from Bali's untouched tropical beauty, BALI Collection captures the essence of organic serenity.

Committed to sustainability, the BALI Collection is crafted using recycled materials and energy-efficient production processes. Our tiles are certified low-VOC and free from harmful chemicals, ensuring a healthier indoor environment.

By choosing BALI, you contribute to reducing environmental impact while embracing a greener future—without compromising on style or durability.

Experience tactile sophistication with BALI's refined surface textures. From lightly brushed matte finishes that evoke weathered stone to subtly polished variants that mimic wet sand, each tile invites touch and admiration.

The natural micro-textures not only enhance visual depth but also provide slip resistance, making them as practical as they are beautiful.



BALI

| Matt | Lappato |

4 COLOURS



OYSTER



SAND




PEARL




SHALE

4 SIZES



120×60cm
48"× 24"



60×60cm
24"× 24"



60×30cm
24"× 12"



30×30cm
12"× 12"

10mm
120×60cm 48"× 24"

9mm
60×60cm 24"× 24"
60×30cm 24"× 12"
30×30cm 12"× 12"





- Floor .
BALI - SAND
MATT
60X60cm - 24"× 24"



- Floor .
BALI - SAND
MATT
60X60cm - 24" x 24"
- Wall .
BALI - OYSTER
MATT
120X60cm - 48" x 24"



- Floor .
BALI - SHALE
MATT
120X60cm - 48" x 24"



- Floor .
BALI - SHALE
MATT
120X60cm - 48" x 24"





• Floor .
BALI - PEARL
MATT
120X60cm - 48"× 24"

• Wall .
BALI - OYSTER
MATT
60X60cm - 24"× 24"



BALI

OYSTER

PRODUCT INFORMATION

▼

▲

10MM

120×60cm / 48"× 24"

10 faces

▼

▲

9MM

60×60cm/24"× 24"


20 faces

60×30cm/24"× 12"

40 faces

30×30cm/12"× 12"

80 faces



V2

☒ Matt

☒ Lappato

BALI

SAND

PRODUCT INFORMATION

▼

▲

10MM

120×60cm / 48"× 24"

10 faces

▼

▲

9MM

60×60cm/24"× 24"


20 faces

60×30cm/24"× 12"

40 faces

30×30cm/12"× 12"

80 faces



V2

☒ Matt

☒ Lappato

BALI

PEARL

PRODUCT INFORMATION

10MM

120×60cm / 48"× 24"

10 faces

9MM

60×60cm/24"× 24"

20 faces

60×30cm/24"× 12"

40 faces

30×30cm/12"× 12"

80 faces



V2

- ☒

Matt
- ☒

Lappato

BALI

SHALE

PRODUCT INFORMATION

10MM

120×60cm / 48"× 24"

10 faces

9MM

60×60cm/24"× 24"


20 faces

60×30cm/24"× 12"

40 faces

30×30cm/12"× 12"

80 faces



V2

☒ Matt


☒ Lappato

TECHNICAL SPECIFICATIONS


TECHNICAL CHARACTERISTIC	STANDARD TEST METHOD	ISO STANDARD REQUIREMENT	OUR VALUES
Length & Width	ISO 10545-2	±0.6%MAX	±0.30%Max
Thickness	ISO 10545-2	±5.0%MAX	±5.0%Max
Sides Straightness	ISO 10545-2	±5%MAX	±0.25%Max
Rectangularity	ISO 10545-2	±0.5%MAX	±0.25%Max
Flatness : a) Centre Curvature	ISO 10545-2	±0.5%MAX	±0.20%Max/Max2.0mm
b) Edge Curvature	ISO 10545-2	±0.5%MAX	±0.20%Max/Max2.0mm
c) Warpage	ISO 10545-2	±0.5%MAX	±0.20%Max/Max2.0mm
Surface Quality	ISO 10545-2	≥95%FREE <small>From visible defect</small>	Comply
Water Absorption	ISO 10545-3	≤0.5%	≤0.20%
Breaking Strength	ISO 10545-4	≥1300N	≥1300N
Modulus Of Rupture	ISO 10545-4	≥35N/mm ² <small>Individual ≥32N/mm²</small>	≥35N/mm ² <small>Individual ≥32N/mm²</small>
Abrasion Resistance			
a) Deep Abrasion For Unglazed Tiles	ISO 10545-6	≤175mm ³	≤160mm ³
b) Surfaces Abrasion For Glazed Tiles	ISO 10545-7	<small>Manuf.to state abrasion class, cycle and passed</small>	≥PEI 3 <small>(Dependent On Product Type)</small>
Crazing Test (glazed Tiles)	ISO 10545-11	No Sign Of Crazing	No Sign Of Crazing
Frost Resistance	ISO 10545-12	Required	No Visible Crack
Chemical Resistance			
a) low concentrations	ISO 10545-13	Manuf. to state	Class A
b) household chemicals and Swimming pool salts	ISO 10545-13	≥class B	Class B(For Polished Tiles) Class A Class B(For Polished Tiles)
Stain Resistance			
a) for unglazed tiles	ISO 10545-14	Manuf. to state	≥Class 3
b) for glazed tiles	ISO 10545-14	≥class 3	≥Class 3
Slip Resistance <small>(Excluding Polished,Lappato And Satin Finishing)</small>	AS/NZS 4586 App.A	Manuf. to state	Wet Pendulum≥P4 <small>(Dependent On Product Type)</small>

PACKING SPECIFICATIONS


SERIES	SIZES	PCS/CTN	m ² /CTN	KG/CTN	m ² /PLT	KG/PLT	CTN/PLT
BALI	60x120/24”x48”	2	1.44	32	80.64	1792	56
	60x60/24”x24”	4	1.44	30	57.60	1200	40
	30x60/12”x24”	8	1.44	30	57.60	1200	40
	30x30/12”x12”	11	0.99	21	55.44	1176	56




UNIFORM
VARIATION
V1



SLIGHT
VARIATION
V2



MODERATE
VARIATION
V3



SUBSTANTIAL
VARIATION
V4



Foshan Casagres International Co, Ltd.
info@casagresintl.com
www.casagresintl.com