

# TRAVERTINE



# TRAVERTINE

The TRAVERTINE are resistant to scratches and wear, making them suitable for high traffic areas such as hallways, living rooms, and commercial spaces.

**Matching** In terms of matching, travertine tiles are extremely versatile. They can be paired with a variety of interior design styles. For a classic look, they go well with wooden furniture and marble countertops. The earthy tones of travertine create a harmonious and warm atmosphere when combined with natural materials.

In modern or minimalist designs, travertine tiles can be matched with sleek metal fixtures and glass elements.

**Fashion forward** In the world of fashion and design trends, travertine tiles are also making a mark. Designers are constantly finding new ways to incorporate these tiles into modern and trendy spaces.



# TRAVERTINE

| Matt |

## 6 COLOURS




VEIN  
CLASSICO




VEIN  
SILVER



VEIN  
CREMA



CROSS  
CLASSICO




CROSS  
SILVER




CROSS  
CREMA

## 4 SIZES



120×60cm  
48"× 24"



60×60cm  
24"× 24"



60×30cm  
24"× 12"



30×30cm  
12"× 12"

10mm  
120×60cm 48"× 24"

9mm  
60×60cm 24"× 24"  
60×30cm 24"× 12"  
30×30cm 12"× 12"







VEIN CLASSICO






- Wall .  
TRAVERTINE - VEIN CLASSICO  
MATT  
60X120cm - 48"× 24"
- Floor .  
VOGUE WOOD - SAND  
MATT  
20X120cm - 8"× 48"





**VEIN SILVER**





• Floor .  
TRAVERTINE - VEIN SILVER  
MATT  
60X120cm - 48"× 24"



• Wall .  
TRAVERTINE - VEIN SILVER  
MATT  
60X120cm - 48"× 24"

• Wall .  
TRAVERTINE - VEIN CREMA  
MATT  
60X120cm - 48"× 24"





VEIN CREMA





- Floor .  
TRAVERTINE - VEIN CREMA  
MATT  
60X60cm - 24"× 24"



- Floor .  
TRAVERTINE - VEIN CREMA  
MATT  
60X120cm - 48"× 24"



The background is a full-page image of a marbled surface, likely stone or marble. The pattern consists of organic, flowing veins in shades of light beige, cream, and off-white, set against a darker, muted taupe or light brown base. The texture appears natural and slightly grainy. Centered horizontally and vertically is the text "CROSS CLASSICO" in a black, all-caps, serif typeface.

CROSS CLASSICO





• Wall .  
TRAVERTINE - CROSS CREMA  
MATT  
60X120cm - 48"× 24"

• Floor .  
TRAVERTINE - CROSS SILVER  
MATT  
60X120cm - 48"× 24"



**CROSS SILVER**





• Wall .  
 TRAVERTINE - CROSS SILVER  
 MATT  
 60X120cm - 48"× 24"



• Wall .  
 TRAVERTINE - VEIN CLASSICO  
 MATT  
 60X120cm - 48"× 24"

• Wall .  
 TRAVERTINE - CROSS SILVER  
 MATT  
 60X120cm - 48"× 24"



The image features a full-page background of a marbled pattern in shades of beige, tan, and light brown. The pattern consists of irregular, swirling veins and spots, creating a textured, organic appearance. Centered on the left side of the image is the text "CROSS CREMA" in a black, serif, all-caps font.

CROSS CREMA





• Floor.  
TRAVERTINE - CROSS CREMA  
MATT  
60X120cm - 48" x 24"



• Wall.  
TRAVERTINE - CROSS CREMA  
MATT  
60X60cm - 24" x 24"




TRAVERTINE

VEIN CLASSICO


PRODUCT INFORMATION

▼  
10MM  
▲




120×60cm / 48"× 24"  
6 faces

▼  
9MM  
▲



60×60cm/24"× 24"  
12 faces



60×30cm/24"× 12"  
24 faces



30×30cm/12"× 12"  
48 faces



- ✓ Matt
- ✓ Lappato



V2




# TRAVERTINE

## VEIN SILVER


PRODUCT INFORMATION

▼  
10MM  
▲




120×60cm / 48"× 24"  
6 faces

▼  
9MM  
▲



60×60cm/24"× 24"  
12 faces



60×30cm/24"× 12"  
24 faces



30×30cm/12"× 12"  
48 faces



- ✓ Matt
- ✓ Lappato



V2




# TRAVERTINE

## VEIN CREMA


PRODUCT INFORMATION

▼  
10MM  
▲




120×60cm / 48"× 24"  
6 faces

▼  
9MM  
▲



60×60cm/24"× 24"  
12 faces



60×30cm/24"× 12"  
24 faces



30×30cm/12"× 12"  
48 faces



- ✓ Matt
- ✓ Lappato



V2



TRAVERTINE

CROSS CLASSICO


PRODUCT INFORMATION

☒ Lappato

☒ Matt




▼  
10MM  
▲




120×60cm / 48"× 24"  
8 faces

▼  
9MM  
▲



60×60cm/24"× 24"  
16 faces



60×30cm/24"× 12"  
32 faces



30×30cm/12"× 12"  
64 faces





# TRAVERTINE CROSS SILVER


PRODUCT INFORMATION

☒ Lappato

☒ Matt




▼  
10MM  
▲




120×60cm / 48"× 24"  
8 faces

▼  
9MM  
▲



60×60cm/24"× 24"  
16 faces



60×30cm/24"× 12"  
32 faces



30×30cm/12"× 12"  
64 faces





TRAVERTINE

CROSS CREMA


PRODUCT INFORMATION

☒ Lappato

☒ Matt




▼  
10MM  
▲




120×60cm / 48"× 24"  
8 faces

▼  
9MM  
▲



60×60cm/24"× 24"  
16 faces



60×30cm/24"× 12"  
32 faces



30×30cm/12"× 12"  
64 faces






# TECHNICAL SPECIFICATIONS


TECHNICAL CHARACTERISTIC	STANDARD TEST METHOD	ISO STANDARD REQUIREMENT	OUR VALUES
Length & Width	ISO 10545-2	±0.6%MAX	±0.30%Max
Thickness	ISO 10545-2	±5.0%MAX	±5.0%Max
Sides Straightness	ISO 10545-2	±5%MAX	±0.25%Max
Rectangularity	ISO 10545-2	±0.5%MAX	±0.25%Max
Flatness : a) Centre Curvature	ISO 10545-2	±0.5%MAX	±0.20%Max/Max2.0mm
b) Edge Curvature	ISO 10545-2	±0.5%MAX	±0.20%Max/Max2.0mm
c) Warpage	ISO 10545-2	±0.5%MAX	±0.20%Max/Max2.0mm
Surface Quality	ISO 10545-2	≥95%FREE <small>From visible defect</small>	Comply
Water Absorption	ISO 10545-3	≤0.5%	≤0.20%
Breaking Strength	ISO 10545-4	≥1300N	≥1300N
Modulus Of Rupture	ISO 10545-4	≥35N/mm <sup>2</sup> <small>Individual ≥32N/mm<sup>2</sup></small>	≥35N/mm <sup>2</sup> <small>Individual ≥32N/mm<sup>2</sup></small>
Abrasion Resistance			
a) Deep Abrasion For Unglazed Tiles	ISO 10545-6	≤175mm <sup>3</sup>	≤160mm <sup>3</sup>
b) Surfaces Abrasion For Glazed Tiles	ISO 10545-7	<small>Manuf.to state abrasion class, cycle and passed</small>	≥PEI 3 <small>(Dependent On Product Type)</small>
Crazing Test (glazed Tiles)	ISO 10545-11	No Sign Of Crazing	No Sign Of Crazing
Frost Resistance	ISO 10545-12	Required	No Visible Crack
Chemical Resistance			
a) low concentrations	ISO 10545-13	Manuf. to state	Class A
b) household chemicals and Swimming pool salts	ISO 10545-13	≥class B	Class B(For Polished Tiles) Class A Class B(For Polished Tiles)
Stain Resistance			
a) for unglazed tiles	ISO 10545-14	Manuf. to state	≥Class 3
b) for glazed tiles	ISO 10545-14	≥class 3	≥Class 3
Slip Resistance (Excluding Polished,Lappato And Satin Finishing)	AS/NZS 4586 App.A	Manuf. to state	Wet Pendulum≥P4 <small>(Dependent On Product Type)</small>

# PACKING SPECIFICATIONS


SERIES	SIZES	PCS/CTN	m <sup>2</sup> /CTN	KG/CTN	m <sup>2</sup> /PLT	KG/PLT	CTN/PLT
TRAVERTINE	60x120/24”x48”	2	1.44	32	80.64	1792	56
	60x60/24”x24”	4	1.44	30	57.60	1200	40
	30x60/12”x24”	8	1.44	30	57.60	1200	40
	30x30/12”x12”	11	0.99	21	55.44	1176	56




UNIFORM  
VARIATION  
**V1**



SLIGHT  
VARIATION  
**V2**



MODERATE  
VARIATION  
**V3**



SUBSTANTIAL  
VARIATION  
**V4**



Foshan Casagres International Co, Ltd.  
info@casagresintl.com  
www.casagresintl.com