

CANYON





CANYON

Crafted to embody timeless elegance, CANYON capture the raw beauty of natural stone with intricate textures that mimic organic geological formations. Each tile features a dynamic, multi-layered design, blending earthy tones and subtle veining to create depth and visual interest for both walls and floors.

Built to last, CANYON are forged from premium-grade materials using advanced firing technology, ensuring exceptional durability, stain resistance, and low maintenance.

Renowned for their versatility and reliability, CANYON have become a global bestseller, trusted by designers and homeowners alike.

Elevate your space with CANYON—where artistry meets endurance.




CANYON

| Matt | Lappato |

4 COLOURS



BIANCO



BEIGE




GRIGIO




ASH

4 SIZES



120×60cm
48"× 24"



60×60cm
24"× 24"



60×30cm
24"× 12"



30×30cm
12"× 12"

10mm
120×60cm 48"× 24"

9mm
60×60cm 24"× 24"
60×30cm 24"× 12"
30×30cm 12"× 12"





- Wall .
CANYON - BEIGE
MATT
120X60cm - 48'x 24''

- Floor .
CANYON - GRIGIO
MATT
120X60cm - 48'x 24''

- Wall / Floor .
CANYON - BIANCO
MATT
60X60cm - 24"× 24"





• Floor .
CANYON - GRIGIO
MATT
120X60cm - 48" x 24"



• Floor .
CANYON - BEIGE
MATT
60X60cm - 24" x 24"



- Floor .
CANYON - ASH
MATT
60X60cm - 24"× 24"



CANYON

BIANCO


PRODUCT INFORMATION

▼
10MM
▲



120×60cm / 48"× 24"
6 faces

▼
9MM
▲



60×60cm/24"× 24"
12 faces



60×30cm/24"× 12"
24 faces



30×30cm/12"× 12"
48 faces



- ☒ Matt
- ☒ Lappato



V2

CANYON

BEIGE


PRODUCT INFORMATION

▼
10MM
▲



120×60cm / 48"× 24"
6 faces

▼
9MM
▲



60×60cm/24"× 24"
12 faces



60×30cm/24"× 12"
24 faces



30×30cm/12"× 12"
48 faces



- ☒ Matt
- ☒ Lappato



V2

CANYON GRIGIO


PRODUCT INFORMATION

▼
10MM
▲



120×60cm / 48"× 24"
6 faces

▼
9MM
▲



60×60cm/24"× 24"
12 faces



60×30cm/24"× 12"
24 faces



30×30cm/12"× 12"
48 faces



- ✓ Matt
- ✓ Lappato



V2

CANYON

ASH


PRODUCT INFORMATION

▼
10MM
▲



120×60cm / 48"× 24"
6 faces

▼
9MM
▲



60×60cm/24"× 24"
12 faces



60×30cm/24"× 12"
24 faces



30×30cm/12"× 12"
48 faces



- ✓ Matt
- ✓ Lappato



V2


TECHNICAL SPECIFICATIONS

TECHNICAL CHARACTERISTIC	STANDARD TEST METHOD	ISO STANDARD REQUIREMENT	OUR VALUES
Length & Width	ISO 10545-2	±0.6%Max	±0.3%Max
Thickness	ISO 10545-2	±5.0%Max	±5.0%Max
Sides Straightness	ISO 10545-2	±5.0%Max	±0.25%Max
Rectangularity	ISO 10545-2	±0.5%Max	±0.25%Max
Flatness: a) Centre Curvature b) Edge Curvature c) Warpage	ISO 10545-2 ISO 10545-2 ISO 10545-2	±0.5%Max ±0.5%Max ±0.5%Max	±0.2%Max/Max2.0mm ±0.2%Max/Max2.0mm ±0.2%Max/Max2.0mm
Surface Quality	ISO 10545-2	≥ 95%FREE From visible defect	Comply
Water Absorption	ISO 10545-3	≤ 0.5%	≤ 0.20%
Breaking Strength	ISO 10545-4	≥ 1300N	≥ 1300N
Modulus Of Rupture	ISO 10545-4	≥ 35N/mm ² Individual ≥ 32N/mm ²	≥ 35N/mm ² Individual ≥ 32N/mm ²
Abrasion Resistance a) Deep Abrasion For Unglazed Tiles b) Surfaces Abrasion For Glazed Tiles	ISO 10545-6 ISO 10545-7	≤ 175mm ³ Manuf.to state abrasion class,cycie and passed	≤ 160mm ³ ≥ PEI 3 (Dependent On Product Type)
Crazing Test (glazed Tiles)	ISO 10545-11	No Sign Of Crazing	No Sign Of Crazing
Frost Resistance	ISO 10545-12	Required	No Visible Crack
Chemical Resistance a) low concentrations b) household chemicals and Swimming pool salts	ISO 10545-13 ISO 10545-13	Manuf. to state ≥ class B	Class A Class B(For Polished Tiles) Class A Class B(For Polished Tiles)
Stain Resistance a) for unglazed tiles b) for glazed tiles	ISO 10545-14 ISO 10545-14	Manuf. to state ≥ class 3	≥ Class 3 ≥ Class 3
Slip Resistance (Excluding Polished, Lappato And Satin Finishing)	AS/NZS 4586 App.A	Manuf. to state	Wet Pendulum ≥ P4 (Dependent On Product Type)




PACKING SPECIFICATIONS


SERIES	SIZES	PCS/CTN	m ² /CTN	KG/CTN	m ² /PLT	KG/PLT	CTN/PLT
CANYON	60x120 / 24"x48"	2	1.44	32	97.92	2176	68
	60x60 / 24"x24"	4	1.44	30	57.60	1200	40
	30x60 / 12"x24"	8	1.44	30	57.60	1200	40
	30x30 / 12"x12"	16	1.44	30	57.60	1200	40




UNIFORM
VARIATION
V1



SLIGHT
VARIATION
V2



MODERATE
VARIATION
V3



SUBSTANTIAL
VARIATION
V4



Foshan Casagres International Co, Ltd.
info@casagresintl.com
www.casagresintl.com