


VOGUE STONE





VOGUE STONE

The Epitome of Elegance and Style In the world of interior design, Vogue Stone tiles stand out as a remarkable choice, seamlessly blending exceptional quality with captivating aesthetics.

These tiles are not just building materials; they are a statement of refined taste and a celebration of timeless beauty.

Running your fingers over the surface, you can sense the fine details and nuances that give these tiles their unique character. The carefully engineered texture provides a sense of depth and dimension, making the tiles appear as if they have been hewn from the earth itself.

In conclusion, Vogue Stone offer a unique combination of exquisite texture, stunning textures, authentic Italian style, and fashion-forward design. Whether you are renovating your home, designing a new commercial space, or simply looking to add a touch of elegance to a particular area, these tiles are sure to exceed your expectations.





VOGUE STONE

| Matt | Lappato |

8 COLOURS



NATURAL




PURE



SAND



PERLA



TAUPE



GRIGIO



MOKA



NERO



- Wall / Floor .
VOGUE STONE - NATURAL
MATT
60X120cm
48" x 24"



- Floor .
VOGUE STONE - SAND
MATT
60X120cm - 48"× 24"

- Wall .
TERRAZZO - NOUGAT
MATT
60X60cm - 24"× 24"



- Wall / Floor .
VOGUE STONE - TAUPE
MATT
60X120cm - 48"× 24"



- Wall / Floor .
MARAMO - ODEON BEIGE
SLIOTECH
120X60cm - 48"× 24"

- Floor .
VOGUE STONE - MOKA
MATT
60X120cm - 48" x 24"





• Floor .
VOGUE STONE - PURE
MATT
60X120cm - 48" x 24"



• Floor .
VOGUE STONE - PERLA
MATT
60X120cm - 48" x 24"



• Wall .
VOGUE STONE - NATURAL
MATT
60X120cm - 48" x 24"



• Floor .
VOGUE STONE - NERO
MATT
60X120cm - 48" x 24"



VOGUE STONE

NATURAL


PRODUCT INFORMATION

▼
10MM
▲



120×60cm / 48"× 24"
8 faces

▼
9MM
▲



60×60cm/24"× 24"
16 faces



60×30cm/24"× 12"
32 faces





30×30cm/12"× 12"
64 faces



V2

✔ Matt

✔ Lappato



VOGUE STONE

SAND


PRODUCT INFORMATION

▼
10MM
▲



120×60cm / 48"× 24"
8 faces

▼
9MM
▲



60×60cm/24"× 24"
16 faces



60×30cm/24"× 12"
32 faces



30×30cm/12"× 12"
64 faces



V2

✔ Matt

✔ Lappato



VOGUE STONE

TAUPE


PRODUCT INFORMATION

▼
10MM
▲



120×60cm / 48"× 24"
8 faces

▼
9MM
▲



60×60cm/24"× 24"
16 faces



60×30cm/24"× 12"
32 faces



30×30cm/12"× 12"
64 faces



V2

✓ Matt

✓ Lappato



VOGUE STONE

MOKA

PRODUCT INFORMATION

▼
10MM
▲



120×60cm / 48"× 24"
8 faces

▼
9MM
▲



60×60cm/24"× 24"
16 faces



60×30cm/24"× 12"
32 faces



30×30cm/12"× 12"
64 faces



V2

✔ Matt

✔ Lappato



VOGUE STONE

PURE

PRODUCT INFORMATION

▼
10MM
▲



120×60cm / 48"× 24"
8 faces

▼
9MM
▲



60×60cm/24"× 24"
16 faces



60×30cm/24"× 12"
32 faces



30×30cm/12"× 12"
64 faces



V2

✔ Matt

✔ Lappato



VOGUE STONE

PERLA


PRODUCT INFORMATION

▼
10MM
▲



120×60cm / 48"× 24"
8 faces

▼
9MM
▲



60×60cm/24"× 24"
16 faces




60×30cm/24"× 12"
32 faces



30×30cm/12"× 12"
64 faces



- ☒ Matt
- ☒ Lappato



VOGUE STONE

GRIGIO


PRODUCT INFORMATION

▼
10MM
▲



120×60cm / 48"× 24"
8 faces

▼
9MM
▲



60×60cm/24"× 24"
16 faces



60×30cm/24"× 12"
32 faces




30×30cm/12"× 12"
64 faces



V2

✔ Matt

✔ Lappato



VOGUE STONE

NERO


PRODUCT INFORMATION

▼
10MM
▲



120×60cm / 48"× 24"
8 faces

▼
9MM
▲



60×60cm/24"× 24"
16 faces



60×30cm/24"× 12"
32 faces




30×30cm/12"× 12"
64 faces



V2

✓ Matt

✓ Lappato




TECHNICAL SPECIFICATIONS


TECHNICAL CHARACTERISTIC	STANDARD TEST METHOD	ISO STANDARD REQUIREMENT	OUR VALUES
Length & Width	ISO 10545-2	±0.6%MAX	±0.30%Max
Thickness	ISO 10545-2	±5.0%MAX	±5.0%Max
Sides Straightness	ISO 10545-2	±5%MAX	±0.25%Max
Rectangularity	ISO 10545-2	±0.5%MAX	±0.25%Max
Flatness : a) Centre Curvature	ISO 10545-2	±0.5%MAX	±0.20%Max/Max2.0mm
b) Edge Curvature	ISO 10545-2	±0.5%MAX	±0.20%Max/Max2.0mm
c) Warpage	ISO 10545-2	±0.5%MAX	±0.20%Max/Max2.0mm
Surface Quality	ISO 10545-2	≥95%FREE From visible defect	Comply
Water Absorption	ISO 10545-3	≤0.5%	≤0.20%
Breaking Strength	ISO 10545-4	≥1300N	≥1300N
Modulus Of Rupture	ISO 10545-4	≥35N/mm ² Individual ≥32N/mm²	≥35N/mm ² Individual ≥32N/mm²
Abrasion Resistance			
a) Deep Abrasion For Unglazed Tiles	ISO 10545-6	≤175mm ³	≤160mm ³
b) Surfaces Abrasion For Glazed Tiles	ISO 10545-7	Manuf.to state abrasion class, cycle and passed	≥PEI 3 (Dependent On Product Type)
Crazing Test (glazed Tiles)	ISO 10545-11	No Sign Of Crazing	No Sign Of Crazing
Frost Resistance	ISO 10545-12	Required	No Visible Crack
Chemical Resistance			
a) low concentrations	ISO 10545-13	Manuf. to state	Class A
b) household chemicals and Swimming pool salts	ISO 10545-13	≥class B	Class B(For Polished Tiles) Class A Class B(For Polished Tiles)
Stain Resistance			
a) for unglazed tiles	ISO 10545-14	Manuf. to state	≥Class 3
b) for glazed tiles	ISO 10545-14	≥class 3	≥Class 3
Slip Resistance (Excluding Polished,Lappato And Satin Finishing)	AS/NZS 4586 App.A	Manuf. to state	Wet Pendulum≥P4 (Dependent On Product Type)

PACKING SPECIFICATIONS


SERIES	SIZES	PCS/CTN	m ² /CTN	KG/CTN	m ² /PLT	KG/PLT	CTN/PLT
VOGUE STONE	60x120/24”x48”	2	1.44	32	80.64	1792	56
	60x60/24”x24”	4	1.44	30	57.60	1200	40
	30x60/12”x24”	8	1.44	30	57.60	1200	40
	30x30/12”x12”	11	0.99	21	55.44	1176	56




UNIFORM
VARIATION
V1



SLIGHT
VARIATION
V2



MODERATE
VARIATION
V3



SUBSTANTIAL
VARIATION
V4



Foshan Casagres International Co, Ltd.
info@casagresintl.com
www.casagresintl.com